

SOLAR SENSOR FLOOD LIGHT





Charging during daytime



Auto turn on at night



3M

120°

Sensing Angle 120°, Sensing distance 3 meters.

3000K



4000K



6500K



CCT switch



Mode 1



Motion Sensor

Light Off



Full Brightness(30s)



120°

Light Off



Mode 2



Motion Sensor

Light Off



Half Brightness(30s)




120°

Light Off



Mode 3



Motion Sensor

Light Off



Low Brightness(30s)



120°

Light Off





REPLACEABLE BATTERY

LOGO PRINTING



IP65 Waterproof


PRODUCT DISPLAY



Front



Back



Side





Foldable

APPLICATION SCENARIOS





PRODUCT SIZE

SL01



SL02



SPECIFICATION

Item Code	SL01	SL02
Material of body	ABS+Glass	
Sensor	PIR	
Solar Panel	5V 1.75W monocrystalline PET panel	5V 2.5W monocrystalline PET panel
Battery	3.7V 2200mAh	3.7V 2600mAh
Leds	40PCS	48PCS
Lumen	MAX. 1000lm	MAX. 1200lm
Sensing Times	Sensing 200 times	Sensing 300 times
Charging Hours	6-8hrs	
Sensor Angle	MAX. 120 degrees	
Sensing Distance	3M	
Waterproof	IP65	
Warranty	2 Years	
Packing(cm)	20pcs/31.5x27x22cm	20pcs/41.5x27x22cm
Body Size(mm)	143x97x44.5mm	194x97x44.5mm

THANK YOU